



MERIDIAN

HR MPC (PDV 25%)

O5/2014

Reference Audio

HR MPC (KN)

808v5	<p>Signature Reference Compact Disc Player Preamplifier¹ <i>Inputs:</i> 1 x ID41 Digital Media Card, 3 x SpeakerLink, 3 x coax digital, 2 x optical digital, 6 x stereo unbalanced analogue, 192kHz/24 bit asynchronous USB <i>Outputs:</i> 2 x SpeakerLink, 1 x coax digital, 1 x stereo unbalanced analogue, 1 x stereo balanced analogue</p>	105.600
818v2	<p>Reference Audio Core 818v2¹ <i>Inputs:</i> 1 x ID41 Digital Media Card, 192kHz/24 bit asynchronous USB, 3 x SpeakerLink, 3 x coax digital, 5 x optical digital, 6 x stereo unbalanced analogue, 1 x high-resolution analogue, 2 x optical digital, 1 x high-resolution USB. <i>Outputs:</i> 2 x SpeakerLink, 1 x coax digital, 1 x stereo unbalanced analogue, 1 x stereo balanced analogue</p>	76.800
861v8	<p>Reference Surround Controller¹ RackMount Fascia with shelf available for an additional £500.00. <i>Inputs:</i> 1 x MMHR, 1 x SpeakerLink, 6 x coax digital, 2 x optical digital, 192kHz/24 bit asynchronous USB, 6 x stereo unbalanced analogue (configurable as 2 multichannel inputs). <i>Outputs:</i> 8 x SpeakerLink Optional cards for 861v8: OA08 Analogue output with: 4 x channels on unbalanced OA18 Analogue output with: 4 x channels on balanced ID41 RJ45 Ethernet Connection to Meridian Digital Media Systems</p>	120.000 7.200 7.200 9.600

Reference Video

810	<p>Reference Video System Fully "Film Calibrated," World's only 10 Megapixel System, outboard Video processor up converts all signals to 10 Megapixel, Includes 1.33X Anamorphic Lens, Motorized Sled, and Bracket to mount lens/sled to projector, processor outputs via 4 x DVI; processor inputs HDMI x 1 and DVI x 1, RS232 controllable. Select lens option below: S Lens Short throw – 1.5 - 1.84:1 ratio Anamorphic not possible M Lens Medium throw – 2.2 - 3.6:1 ratio L Lens Long throw – 4.7 - 8.0:1 ratio V Lens Very short throw / rear-pro – 1.1:1 ratio Anamorphic Lens assembly not included with this lens</p>	1.340.000 1.198.000
810 Lamp	810 Replacement lamp	34.000

REFERENCE AUDIO FINISH OPTIONS:

1: 800 Series products are available with High Gloss Graphite, Silver & Black finishes plus the full range of Meridian Select colours. Pricing for Meridian Select colours available upon request.

DSP Loudspeakers – Bookshelf*

HR MPC (KN)

DSP3200	DSP Active Loudspeaker – per pair Two way loudspeaker with apodising filter. Available in high-gloss black or white finishes. SpeakerLink input and output.	36.000
<i>S3200</i>	<i>Floor Stand for DSP3200 – per pair</i>	3.800
DSP3300	DSP Versatile Digital Active Loudspeaker – each Designed for Centre, L / R operation, with apodising filter. Available in high-gloss black or white finishes. SpeakerLink input & output.	21.600

DSP Loudspeakers – Floorstanding*

M6	DSP Active Loudspeaker – per pair Two-way, floorstanding loudspeaker with apodising filter. Finished with black cloth. SpeakerLink input and output.	43.200
DSP5200	DSP Active Loudspeaker – per pair Two and a half way floorstanding loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	67.200
DSP5200 HC	DSP Active Horizontal Centre Loudspeaker – each Two and a half way loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	36.000
DSP7200	DSP Active Loudspeaker – per pair Three and a half way floor standing loudspeaker system with Enhanced Bass Alignment, apodising filter, and Meridium proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	187.200
DSP7200 HC	DSP Active Horizontal Centre Loudspeaker – each Three and a half way loudspeaker with Centre Elevation Technology, Enhanced Bass Alignment, apodising filter, and proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink & S/PDIF input and output, Centre Elevation.	98.400
DSP8000	DSP Active Reference Loudspeaker – per pair Three and a half way floorstanding loudspeaker system with separate head for a psychoacoustically more realistic performance, apodising filter, and proprietary cabinet construction. Six 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	336.000

*** BOOKSHELF & FLOORSTANDING LOUDSPEAKER OPTIONS (EXCEPT M6):**

- Standard loudspeaker colours are high-gloss black or white. All other colours are included under Meridian Select.
- To order a custom colour under Meridian Select, please provide the RAL (www.ral-farben.de) colour number
- Vertical Centre Loudspeaker available by special order to match any of the above Loudspeaker pairs at 50% of the pair cost.
- Please allow 4-6 weeks for delivery. 25% deposit required. Pricing for Meridian Select colours available upon request.

NOTE: MSR REMOTE AND CABLES ARE NOT INCLUDED WITH SPEAKERS

DSP Loudspeakers – Special Edition*

HR MPC (KN)

NEW

Meridian celebrates 25 years of leadership digital loudspeaker innovation with the new SE series. Featuring an all-new beryllium-dome tweeter, new extended-range electronics and advanced firmware plus meticulously-selected, DSP-tuned mechanical enhancements.

DSP5200SE	DSP Active Loudspeaker – per pair Two and a half way floorstanding loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink connection on RJ45.	96.000
DSP5200SE HC	DSP Active Horizontal Centre Loudspeaker – each Two and a half way horizontal loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink connection on RJ45.	50.400
DSP7200SE	DSP Active Loudspeaker – per pair Three way floor standing loudspeaker system with Enhanced Bass Alignment, apodising filter, and Meridium proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink connection on RJ45.	230.400
DSP7200SE HC	Horizontal Centre Loudspeaker – each Three way horizontal loudspeaker with Centre Elevation Technology, Enhanced Bass Alignment, apodising filter, and proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink connection on RJ45.	120.000
DSP8000SE	DSP Active Reference Loudspeaker – per pair Three and a half way floorstanding loudspeaker system with separate head for a phychoacoustically more realistic performance, apodising filter, and proprietary cabinet construction. Six 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink connection on RJ45.	412.800

*** SPECIAL EDITION LOUDSPEAKER OPTIONS:**

- Standard loudspeaker colours are high-gloss black or white. All other colours are included under Meridian Select.
- To order a custom colour under Meridian Select, please provide the RAL (www.ral-farben.de) colour number
- Vertical Centre Loudspeaker available by special order to match any of the above Loudspeaker pairs at 50% of the pair cost.
- Please allow 4-6 weeks for delivery. 25% deposit required. Pricing for Meridian Select colours available upon request.

NOTE: MSR REMOTE AND CABLES ARE NOT INCLUDED WITH SPEAKERS

DSP Sub Woofer

HR MPC (KN)

DSW	DSP Active Sub Woofer – 1 x 12 inch. SpeakerLink input and output. Available in high-gloss black or white. Other colours under Meridian Select.	28.800
------------	---	--------

DSP Installation Loudspeakers

DSP520	In-wall DSP Active Loudspeaker – each Two way ported installation loudspeaker with SpeakerLink inputs & outputs. Wide Range driver technology, long throw custom woofer. Paintable metal grill with scrim. Required AC connection through RF500.	21.600
---------------	---	--------

<i>RF500</i>	<i>Rough-in Box for DSP520</i> – each <i>Fully enclosed aluminium installation kit for DSP520, CE rated.</i> <i>Requires AC connection.</i>	TEL.
--------------	---	------

DSP640	In-wall DSP Active Loudspeaker – each Two way installation loudspeaker with SpeakerLink inputs & outputs. Two wide range drivers accompanied with two long throw custom woofers. Paintable metal grill with scrim. Required AC connection through RF600.	33.600
---------------	--	--------

<i>RF600</i>	<i>Rough-in Box for DSP640</i> – each <i>Fully enclosed aluminium installation kit for DSP640, CE rated.</i> <i>Requires AC connection.</i>	TEL.
--------------	---	------

Power Amplifiers

G55 <i>NEW</i>	5 x 100W Power Amplifier – each Based on the unique DSP8000 amplifier, delivers 5 x 100W continuous amplification. Ideal for theatre and multichannel music applications. Unique ultra-low-feedback design for superb overall sound. Bridge mode provides 2 x 300W plus 1 x 100W	48.000
--------------------------	--	--------

G57 <i>NEW</i>	2 x 200W Power Amplifier – each Based on the unique DSP8000 amplifier, delivers 2 x 200W continuous amplification – ideal for the most demanding music systems or theatre applications. Can be bridged to 1kW for the ultimate in passive theatres May be combined with the G55 for 7.1 theatres	38.400
--------------------------	---	--------

Audio Controllers

HR MPC (KN)

Audio Core 200	<p>Stereo DSP Loudspeaker Controller Features Meridian resolution enhancement technologies to control Meridian DSP Loudspeakers. <i>Inputs:</i> 1 x SpeakerLink, 2 x coax digital, 2 x 3.5mm analogue/digital optical, 1 x Mini-DIN for i80, 2 x stereo unbalanced analogue, 1 x USB. <i>Outputs:</i> 2 x SpeakerLink, 1 x 3.5mm headphone. Available in high-gloss black or white finishes.</p>	14.400
-----------------------	---	--------

Surround Controllers

G65 <i>NEW</i>	<p>Surround Controller¹ <i>Inputs:</i> 2 x SpeakerLink (RJ45), 6 x S/PDIF digital (coax), 1 x MMHR 6-channel input, 2 x Toslink S/PDIF optical inputs, 8 x analogue stereo. <i>Outputs:</i> 8 x SpeakerLink digital (RJ45), 8 x analogue balanced (XLR).</p>	43.200
HD621	<p>HDMI Audio Processor – Standard or RackMount Fascia 6 x HDMI Inputs, MMHR, SmartLink, 1 x HDMI outputs Compatible with 3D technology. Available in black finish only.</p>	14.400

40th Anniversary System

<p>Limited Edition Signature Reference 808 Player & Limited Edition DSP8000 Digital Active Loudspeakers Special, limited 40th Anniversary Edition of Meridian's most advanced audio replay system to celebrate the Ruby Anniversary of Allen Boothroyd and Bob Stuart's creative partnership. The system consists of a special version of the 808 Player and DSP8000 Loudspeakers, plus SpeakerLink and remote control. A hardbound system user guide with a unique introduction detailing Meridian's history, loudspeaker design, and philosophy, personally signed by Bob and Allen, is provided with each system. Only 40 systems in total will be available worldwide.</p>	576.000
--	---------

SURROUND CONTROLLER FINISH OPTIONS:

1: G Series Surround Controllers are available with either Silver or Black anodised aluminium finishes.

Music Streaming

HR MPC (KN)

Control 15	<p>Streaming system¹</p> <p>SYSTEM CORE: operating system included</p> <p>CONTROL: 17" touch screen (Core Control App can also be used)</p> <p>STORAGE: 500GB internal storage drive (approx. 1,000 albums), CD drive for importing media</p> <p>AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output</p>	45.600
Media Core 200	<p>Streaming system</p> <p>SYSTEM CORE: operating system included</p> <p>CONTROL: Core Control App</p> <p>STORAGE: 1TB internal storage drive (approx. 2,000 albums)</p> <p>AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output</p>	19.200
Media Core 600	<p>Streaming system</p> <p>SYSTEM CORE: operating system included with enhanced processor</p> <p>CONTROL: Core Control App</p> <p>STORAGE: 4TB internal storage, auto backup RAID 1, effective capacity is 2TB</p> <p>AUDIO ZONE: six zone player with each zone having: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output</p>	57.600
Media Drive 600	<p>High-Capacity Storage with System Core</p> <p>SYSTEM CORE: operating system included with enhanced processor</p> <p>CONTROL: Core Control App</p> <p>STORAGE: Twin 3.5" drive bays with auto backup RAID 1 (does not include hard drives)</p> <p><i>Requires Audio Zone for complete system</i></p>	24.000
Media Source 200	<p>Compact Audio Source</p> <p>AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x analogue (3.5mm jack), 1 x SPDIF digital (3.5mm jack)</p> <p><i>Requires System Core for complete system</i></p>	4.800
Media Source 600	<p>High-Performance Audio Source</p> <p>AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output, 1 x stereo balanced analogue output</p> <p><i>Requires System Core for complete system</i></p>	16.800
Core Control	<p>Core Control App for iPad</p> <p>Control for any System Core, download directly from Apple App Store</p>	FREE

STREAMING SYSTEM FINISH OPTIONS:

1: Available in black and silver aluminium finishes.

Personal Audio

HR MPC (KN)

Explorer	Explorer USB DAC Asynchronous 24/192 USB DAC with fixed/variable analogue outputs & fixed optical output. Compatible with Windows, Apple, and Linux operating systems.	2.380
Direct DAC	Direct DAC USB & S/PDIF DAC Asynchronous 24/192 DAC with USB and optical/coax S/PDIF inputs. Features Meridian Resolution Enhancement technologies to deliver superior sound quality from digital sources into an analogue hi-fi.	3.980
Prime Headphone Amplifier <i>NEW</i>	High Performance Headphone Amplifier <i>Inputs:</i> 1 x RCA stereo Analogue, 1 x 3.5mm analogue, 1 x USB 2.0 Asynchronous digital. <i>Outputs:</i> 1 x RCA stereo analogue, 2 x 1/4" stereo headphone, 1 x 3.5mm stereo headphone. <i>Power:</i> Supplied external power supply.	11.200
Prime Power Supply <i>NEW</i>	High Performance Power Supply <i>Inputs:</i> 1 x IEC C3 –pole connector, 1 x USB input for audio pass through. <i>Outputs:</i> 5 x latching 3 pin mini-DIN connectors for power, 1 x USB for powering external device.	7.600

System Components & Accessories

Distributor 3	SpeakerLink distributor for use in multi-zone DSP Loudspeaker installations.	8.600
AC11	SpeakerLink Hub for Non-SpeakerLink Surround Processor. Connection to SpeakerLink DSP Loudspeakers.	4.800
AC12	Connection interface for SpeakerLink outputs to 1 pair or single legacy DSP Loudspeakers.	3.800
G12	Remote IR Sensor for Meridian G Series Components	1.500
G Rack Kit	G Rack Kit (Active) Includes, mounting shelf, front analogue and digital coax inputs, Composite and S-Video Inputs, RS232 Port, and USB Port, as well as integrated fans for thermal management triggered from Meridian component. Front panel trim plates (3U and 4U) included.	6.100
MSR+	Meridian System Remote – available in black only.	950

SpeakerLink Cables

0.5m SpeakerLink	RJ45 High Resolution Audio Cable for DSP Loudspeakers	500
1m SpeakerLink	RJ45 High Resolution Audio Cable for DSP Loudspeakers	650
5m SpeakerLink	RJ45 High Resolution Audio Cable for DSP Loudspeakers	900
10m SpeakerLink	RJ45 High Resolution Audio Cable for DSP Loudspeakers	1.250
15m SpeakerLink	RJ45 High Resolution Audio Cable for DSP Loudspeakers	1.500

Custom SpeakerLink

HR MPC (KN)

SpeakerLink Cable Reel	SpeakerLink Reel 305 metre on reel for custom lengths <i>NOTE: Not CL approved for in-wall use in USA.</i>	14.400
SpeakerLink Connectors	SpeakerLink RJ45 Shielded RJ45 connectors - 40 pcs per bag. Connection to SpeakerLink DSP Loudspeakers.	1.150
SpeakerLink Tool	SpeakerLink Termination Tool	5.750

Reference Audio Upgrades — inc 5yr warranty; prices do not include labour

808v5	Signature Reference 808v5	28.800
818v2	Reference Audio Core 818v2	14.400
861v8	Reference 861v8	24.000

Individual Upgrade Cards — inc 2yr warranty; prices do not include labour

OE34	Digital output with: 8 x SpeakerLink outputs (for 861v6 only)	7.200
OE38	Digital output with: 2 x SpeakerLink output and 1 x coax digital output	7.200
ID29	Digital input with: 1 x 192kHz/24 bit USB input, 3 x optical digital, and 2 x SpeakerLink	7.200
ID41	RJ45 Ethernet Connection to Meridian Digital Media Systems	9.600

DSP Loudspeaker Upgrades — inc 2yr warranty; prices do not include labour

DSP7200	Includes tweeters and DSP boards/pair	16.800
DSP7200HC/VC	Includes tweeter and DSP board/each	8.400

DSP Special Edition Loudspeaker Upgrades — inc 2-year warranty; prices do not include labor

DSP5200SE	45.600
DSP7200SE	62.400
DSP8000SE	105.600

Health Checks

861	861 Reference Surround Sound Controller (inc 5yr warranty)	5.750
G68	G68 Surround Sound Controller (inc 3yr warranty)	3.350
G61R	G61R Surround Sound Controller (inc 3yr warranty)	3.350
G61	G61 Surround Sound Controller (inc 3yr warranty)	3.350
C61R	C61R Surround Sound Controller (inc 3yr warranty)	3.350